ELSEVIER

Aquaculture 212 (2002) 408–410

Aquaculture

www.elsevier.com/locate/aqua-online

Contents of *Aquaculture*, Volume 212

VOL. 212 NOS. 1–4 **23 September 2002**

Diseases, Parasites and Predators

The activation of interleukin-1β in serum of carp, *Cyprinus carpio*, injected with peptidoglycan
T. Kono, H. Watanuki (Kagoshima, Japan) and M. Sakai (Miyazaki, Japan) 1

The influence of sediment type on the survival of colony forming ability of *Aeromonas salmonicida* in laboratory microcosms
M. Hiney, C. Stanley, L. Martin, A. Cooney and P. Smith (Galway, Ireland) 11

Susceptibility of Nile tilapia (*Oreochromis niloticus*) to vibriosis due to *Vibrio vulnificus* biotype 2 (serovar E)
B. Fouz, E. Alcaide, R. Barrera and C. Amaro (Valencia, Spain) 21

Bacterial resistance to oxytetracycline in Chilean salmon farming
C.D. Miranda (Coquimbo, Chile) and R. Zemelman (Concepción, Chile) 31

Epidemiological investigation of infectious hematopoietic necrosis virus in salt water net-pen reared Atlantic salmon in British Columbia, Canada
S. St-Hilaire (Guelph, ON, Nanaimo, BC, Canada), C.S. Ribble (Guelph, ON, Canada), C. Stephen (Nanaimo, BC, Canada), E. Anderson, G. Kurath (Seattle, WA, USA) and M.L. Kent (Nanaimo, BC, Canada) 49

Genetics and Breeding

Maintenance of genetic diversity of Atlantic salmon (*Salmo salar*) by captive breeding programmes and the geographic distribution of microsatellite variation
M.-L. Koljonen, J. Tähtinen, M. Säisä and J. Koskiniemi (Helsinki, Finland) 69

Application of mixed-model techniques to fish breed improvement: analysis of breeding-value selection to increase 98-day body weight in tilapia
G.A.E. Gall and Y. Bakar (Davis, CA, USA) 93

Husbandry and Management

Larval rearing of the Asian Catfish, *Pangasius bocourti* (Siluroidei, Pangasiidae): alternative feeds and weaning time
L.T. Hung (Montpellier, France, Ho Chi Minh City, Viet Nam), N.A. Tuan (Can Tho City, Viet Nam), P. Cacot and J. Lazard (Montpellier, France) 115

Freezing of pre-rigor fillets of Atlantic salmon
O. Einen (Ås-NLH, Norway), T. Guerin (Angers, France), S.O. Fjæra and P.O. Skjervold (Ås, Norway) 129

Evaluation of captive needle stunning of farmed eel (*Anguilla anguilla* L.): suitability for humane slaughter
E. Lambooij (Lelystad, Netherlands), J.W. van de Vis, R.J. Kloosterboer (Ijmuiden, Netherlands) and C. Pieterse (Lelystad, Netherlands) 141

ELSEVIER

Aquaculture 212 (2002) 408–410

Aquaculture

www.elsevier.com/locate/aqua-online

Contents of *Aquaculture*, Volume 212

VOL. 212 NOS. 1–4 **23 September 2002**

Diseases, Parasites and Predators

The activation of interleukin-1β in serum of carp, *Cyprinus carpio*, injected with peptidoglycan
T. Kono, H. Watanuki (Kagoshima, Japan) and M. Sakai (Miyazaki, Japan) 1

The influence of sediment type on the survival of colony forming ability of *Aeromonas salmonicida* in laboratory microcosms
M. Hiney, C. Stanley, L. Martin, A. Cooney and P. Smith (Galway, Ireland) 11

Susceptibility of Nile tilapia (*Oreochromis niloticus*) to vibriosis due to *Vibrio vulnificus* biotype 2 (serovar E)
B. Fouz, E. Alcaide, R. Barrera and C. Amaro (Valencia, Spain) 21

Bacterial resistance to oxytetracycline in Chilean salmon farming
C.D. Miranda (Coquimbo, Chile) and R. Zemelman (Concepción, Chile) 31

Epidemiological investigation of infectious hematopoietic necrosis virus in salt water net-pen reared Atlantic salmon in British Columbia, Canada
S. St-Hilaire (Guelph, ON, Nanaimo, BC, Canada), C.S. Ribble (Guelph, ON, Canada), C. Stephen (Nanaimo, BC, Canada), E. Anderson, G. Kurath (Seattle, WA, USA) and M.L. Kent (Nanaimo, BC, Canada) 49

Genetics and Breeding

Maintenance of genetic diversity of Atlantic salmon (*Salmo salar*) by captive breeding programmes and the geographic distribution of microsatellite variation
M.-L. Koljonen, J. Tähtinen, M. Säisä and J. Koskiniemi (Helsinki, Finland) 69

Application of mixed-model techniques to fish breed improvement: analysis of breeding-value selection to increase 98-day body weight in tilapia
G.A.E. Gall and Y. Bakar (Davis, CA, USA) 93

Husbandry and Management

Larval rearing of the Asian Catfish, *Pangasius bocourti* (Siluroidei, Pangasiidae): alternative feeds and weaning time
L.T. Hung (Montpellier, France, Ho Chi Minh City, Viet Nam), N.A. Tuan (Can Tho City, Viet Nam), P. Cacot and J. Lazard (Montpellier, France) 115

Freezing of pre-rigor fillets of Atlantic salmon
O. Einen (Ås-NLH, Norway), T. Guerin (Angers, France), S.O. Fjæra and P.O. Skjervold (Ås, Norway) 129

Evaluation of captive needle stunning of farmed eel (*Anguilla anguilla* L.): suitability for humane slaughter
E. Lambooij (Lelystad, Netherlands), J.W. van de Vis, R.J. Kloosterboer (Ijmuiden, Netherlands) and C. Pieterse (Lelystad, Netherlands) 141

Lordosis induction in juvenile red sea bream, *Pagrus major*, by high swimming activity
M. Kihara (Tsukuba, Japan), S. Ogata, N. Kawano, I. Kubota and R. Yamaguchi (Chuo, Japan) . . . 149
The influence of turbidity on growth, feed conversion and survivorship of the Jamaica red tilapia strain
I. Ardjosoediro (Paramaribo, Suriname) and I.W. Ramnarine (St. Augustine, Trinidad and Tobago) . 159
Growth performance of *Barbodes gonionotus* (Bleeker) in intensively cultivated rice fields
N. Vromant (Louvain, Belgium), C.Q. Nam (Can Tho, Viet Nam) and F. Ollevier (Louvain, Belgium) 167
Feeding *Artemia* and shellfish to phyllosoma larvae of southern rock lobster (*Jasus edwardsii*)
A.J. Ritar, C.W. Thomas and A.R. Beech (Taroona, Tas., Australia) 179
Empirical mass balance models calibrated for freshwater fish farm emissions
T. Johansson and L. Nordvarg (Uppsala, Sweden) 191
Recycling pond mud nutrients in integrated lotus–fish culture
Y. Yi, C.K. Lin (Pathum Thani, Thailand) and J.S. Diana (Ann Arbor, MI, USA) 213
A comparison of fertilization, feeding and three periphyton substrates for increasing fish production in freshwater pond aquaculture in Bangladesh
M.E. Azim, M.C.J. Verdegem (Wageningen, The Netherlands), H. Khatoon, M.A. Wahab (Mymensingh, Bangladesh), A.A. van Dam (Wageningen, The Netherlands) and M.C.M. Beveridge (Stirling, United Kingdom) 227
Mariculture of the loliginid squid *Sepioteuthis lessoniana* through seven successive generations
L.S. Walsh, P.E. Turk, J.W. Forsythe and P.G. Lee (Galveston, TX, USA) 245
Evaluation of supplementary feeds for semi-intensive pond culture of mahseer, *Tor putitora* (Hamilton)
Md.S. Islam (Kyoto, Japan) 263
Effective use of plastic sheet as substrate in enhancing tropical oyster (*Crassostrea iredalei* Faustino) larvae settlement in the hatchery
M.N. Devakie and A.B. Ali (Penang, Malaysia) 277
The influence of the absence of light on the onset of first maturity and egg laying in the crayfish *Procambarus* (*Austrocambarus*) *llamasi* (Villalobos, 1955)
C. Carmona-Osalde (Mérida, Mexico), M. Rodríguez-Serna (Ciudad del Carmen, Mexico) and M.A. Olvera-Novoa (Mérida, Mexico) 289

Nutrition

Influence of ingredient particle size and inclusion level of pre-gelatinised maize starch on apparent digestibility coefficients of diets in South African abalone (*Haliotis midae* L.)
J. Sales and P.J. Britz (Grahamstown, South Africa) 299
Growth and hepatic lesions of Nile tilapia (*Oreochromis niloticus*) fed diets containing aflatoxin B_1
N. Anh Tuan, J.M. Grizzle, R.T. Lovell, B.B. Manning (Auburn, AL, USA) and G.E. Rottinghaus (Columbia, MO, USA) 311
Growth, bone mineralization, and heat and low oxygen tolerance in European whitefish (*Coregonus lavaretus* L.) fed with graded levels of phosphorus
J. Vielma, J. Koskela (Valkola, Finland) and K. Ruohonen (Turku, Finland) 321
Wheatgerm flour in diets for Manila clam, *Ruditapes philippinarum*, spat
M. Albentosa, A. Pérez-Camacho (La Coruña, Spain), M.J. Fernández-Reiriz and U. Labarta (Vigo, Spain) 335
Probiotic and formaldehyde treatments of *Artemia* nauplii as food for larval pollack, *Pollachius pollachius*
F.-J. Gatesoupe (Plouzané, France) 347
Apparent digestibility coefficients and nutritional value of cottonseed meal for rainbow trout (*Oncorhynchus mykiss*)
Z.J. Cheng and R.W. Hardy (Hagerman, ID, USA) 361

Physiology and Endocrinology

Effects of age, size, and light intensity on spawning performance of pond-reared *Penaeus merguiensis*
T. Hoang, S.Y. Lee, C.P. Keenan (QLD, Australia) and G.E. Marsden (Grafton, NSW, Australia) . . 373

Stereological point-counting: an accurate method for assessing ovarian function in tilapia
K. Coward and N.R. Bromage (Stirling, UK) 383

Book Reviews 403

Contents of *Aquaculture*, Volume 212 408